

INFORMED CONSENT - HYALURONIC ACID (JUVEDERM ™)

INTRUCTIONS

This consent form is designed to give you the information you need to make an informed decision about whether or not to undergo treatment with Hyaluronic acid dermal filler Juvederm[™] for facial wrinkles and folds. Contour defects, and/or lip enhancement. If you have any questions, please ask the clinician from Alamo Hills Advanced Aesthetics & Laser Center.

INTRODUCTION

Hyaluronic acid treatments involve injection of purified hyaluronic acid into the skin to fill wrinkles and restore volume. No skin testing is needed prior to treatment. Just like natural hyaluronic acid, injectable Hyaluronic acid eventually loses its form and wears down. While the effects of injectable Hyaluronic acid can last 6 months or longer, the procedure is still temporary. Ongoing treatments are required to maintain the improvements achieved with Hyaluronic acid. However, due to various factors that influence Hyaluronic acid breakdown, no guarantees can be made regarding how long correction will last in a specific patient.

ALTERNATIVE TREATMENT

Alternatives to Hyaluronic acid treatments include, but are not limited to, other dermal fillers (e.g. collagen, fat, synthetic polymers), laser resurfacing, surgical facelift, lasers for skin laxity, or no treatment at all.

PATIENTS THAT MAY NOT BE ELIGIBLE FOR HYALURONIC ACID TREATMENTS

Patients with the following conditions may not receive Hyaluronic acid treatments: previous allergic reactions to injectable hyaluronic products, history of a serious allergic reaction (anaphylactic), multiple severe allergies, abnormal raised scarring or keloid formation, active inflammation or infection in the treatment area (e.g. pimples, rash, hives), pregnancy, or nursing.

Certain conditions require caution with injectable fillers and may preclude a patient from receiving treatment: poor healing (due to diabetes or other conditions), long-term use of Prednisone or other steroid therapy. Recurrent viral infections such as herpes simplex (cold sores) may be activated by Hyaluronic treatments. The physician must be notified of these conditions prior to treatments.

RISKS

The possible risks, side effects, and complications with Hyaluronic acid include, but are not limited to:

- 1. Pain and tenderness during and after treatments at/around the treated site which typically resolves within a few days to a week.
- 2. Redness and swelling at/around the injection site is common. Itchiness may also occur. These reactions are generally present immediately after treatment and lessen or disappear within a few days to 1 week. Some patients may experience prolonged swelling and/or tenderness/pain at the injection site lasting up to 2 weeks. Some patients may experience a delayed onset of these symptoms up to several weeks after treatment. On rare occasions, pustules (acne-like lesions) may form. The physician must be notified if symptoms persist for more than 1 week, pustules are present, or symptoms appear in a delayed fashion after treatment.
- 3. Bruising which usually resolves within 1-2 weeks after the injection. Patients taking medications that interfere with coagulation (e.g. aspirin, ibuprofen) have an increased risk of bruising and bleeding.
- 4. Infection at the treated site.



- 5. Although rare, local tissue damage can occur with skin breakdown, scab formation, and/or scarring in the treated area.
- 6. Visible raised areas and lumpiness at/around the treated site grayish discoloration of the skin. These symptoms may persist from a few weeks to several months and may be permanent (rarely).
- 7. Failure to reduce a contour defect or wrinkle (under correction) or overcorrection. Placement of filler adjacent to or outside the desired treatment area; undesired changes in facial contour. Asymmetry, where the correction on one side may be different from the correction on the other side of the face. Swelling at time of injection may create the appearance of asymmetry or under correction which usually resolves as described above. However, you may need to return for additional treatment if under correction of asymmetry persists.
- 8. Hyaluronic acid may have an unpredictable duration of action and may not last as long as anticipated or may persist in some areas longer than anticipated.
- 9. A remote and rare risk is that of injecting Hyaluronic acid into a blood vessel which can block blood flow in the treated area or in distant areas causing tissue damage.
- 10. All the risks of Hyaluronic acid use may not be known. Alamo Hills Advanced Aesthetics & Laser Center is not responsible for any Hyaluronic acid risk or unforeseen complication not yet discovered or not commonly known.

DISCLAIMER

Informed-consent documents are used to communicate information about the proposed treatment of a disease or condition along with disclosure of risks and alternative forms of treatment. The informed-consent process attempts to define principles of risk disclosure that should generally meet the needs of most patients in most circumstances. However, informed-consent documents should not be considered all inclusive in defining other methods of care and risks encountered. Your physician, registered nurse, physician assistant or nurse practitioner may provide you with additional or different information which is based on all the facts in your particular case and the state of medical knowledge.

Informed-consent documents are not intended to define or serve as the standard of medical care. Standards of medical care are determined on the basis of all the facts involved in an individual case and are subject to change as scientific knowledge and technology advance and as practice patterns evolve.

It is important that you read the above information carefully and have all of your questions answered before signing the consent on the next page.

I consent to administration of any related treatments that may be deemed necessary or advisable for my procedure. This includes, but is not limited to, local anesthetic such as anesthetic injections with lidocaine 1%-2% with or without epinephrine; and/or topical anesthetics such as benzocaine/lidocaine/tetracaine cream or ointment; and/or topical oral benzocaine preparations. The risks, side effects, complications of these anesthetics include, but are not limited to, skin irritation (itching or redness), lightheadedness, rapid heart rate, visual disturbances, and tongue numbness. I will inform the physician, registered nurse, physician assistant or nurse practitioner immediately if I experience any of these symptoms. I do not have an allergy to lidocaine or anesthetics. I understand Hyaluronic acid treatments refer to Hyaluronic acid injections and any related treatments.



	Print Name	 Date
Patient Signature	Print Name	Date
Onsent to the treatment or Pro 0). I am satisfied with the expl	CEDURE AND THE ABOVE LISTED IT ANATION,	EMS
3	rnative procedures or methods of ne procedure or treatment propos	
 The above treatment 	to me in a way that I understand: ent or procedure to be undertake	en
If I have any questions Aesthetics & Laser Cer	or problems after treatments, I w nter.	ill call Alamo Hills Advanced
practitioner of Alamo H	e a trained physician, registered nur Hills Advanced Aesthetics & Laser consent shall apply to all Hyaluror	Center to perform Hyaluronic
read this consent form proposed procedure. the potential benefits, consider the informati	ist 18 years of age. My signature is and understand the information. I have been adequately informed limitations, alternative treatments on, and I have had all questions and and accept the risks, side effectionic acid treatment.	provided to me regarding the ed about the procedure involv s. I have had enough time to and concerns answered to my
inform and update the	all of my medical history. I underst e physician, registered nurse, phys ange in my health status and med	sician assistant or nurse
	ohy; these photos will be kept cor th Alamo Hills Advanced Aestheti	
understand that failure	agree to adhere to pre-treatment e to carefully follow these instructi e the likelihood or severity of com	ons may affect my treatment
	ees for Hyaluronic acid treatmen ch-up treatment, I am responsible	
achieve a desired leve	e made or have been made that el of correction. There is no guara I that I may require additional trea	antee wrinkles or folds will be